

Squamosol has a long and broad anterior process, which covers the orbital border of frontal and riches the lacrymal bone. A large horizontal plate rises externally between angular and articular process of mandible. Ear-conch tubular with nearly round external aperture. Tail very long with scattered long hairs, which are only a little longer and thicker to the tip of the tail. The toes covered with unusually long regularly curved hairs, which form a thick brush».



ОБЪЯСНЕНИЯ К ТАБЛИЦЕ II-ой:

Фиг. 1. Правая задняя ступня снаружи.

Фиг. 2. Левый глаз (*mn* — рудимент мигательной перепонки).

Фиг. 3. Левое ухо.

Фиг. 4. Нижняя челюсть (снизу) — *Plv* — *processus alveolaris mandibulae*; *Pan* — *proc. angularis*; *Par* — *proc. articularis*; *Ptr* — *processus transversus*.

Фиг. 5. Череп сбоку.

Фиг. 6. Череп сверху.

Фиг. 7. Череп снизу.

*Ci* — *canalis infroarbitalis*; *F<sub>2</sub>* — глазничная часть *frontale*; *L* — *lacrymale*; *Lp* — лопасть заднего края нёба; *M<sub>1</sub>* — *M<sub>m</sub>* — части *ossis mastoidei*; — *Pas* — *processus alisphenoides squamosi*; *Pp* — *processus paroccipitalis*; *Pps* — *proc. parietalis squamosi*; *Psm* — *proc. supramostoideus squamosi*; *Pss* — *proc. suprafrontalis squamosi*; *Pzi* — *proc. zygomaticus ossis maxillaris*; *So* — *supraoccipitale*; *T* — *tympanicum*; *Z* — *zygomaticum*.

Фиг. 8. Скелет правой задней ступни (II — IV. 2—4-я метатарзальные кости).