DIPUS, sp. inc.

Nos. 99.11.5.4 & 5. 2 males, imm., Kotaz Langar, near Khotan, Turkestan, 4,700 ft., 8th October, 1898.

The immaturity of these two specimens prevents their satisfactory determination; they may be the young of D. deasyi.

Euchoreutes naso, W. L. Sclater, P. Z. S. 1890, p. 610.

Nos. 93.11.5.6, 7 & 8. 2. Ak Langar on the Yarkand-Khotan Road, altitude 4,500 ft., 3rd July, 1898.

Native name, "Sarok Kuruk" ("Brown Tail").

The original specimens of Euchoreutes naso, although known to be from Eastern or Chinese Turkestan, had no exact locality attached to them. It is satisfactory to have this deficiency supplied by Captain Deasy's specimens. The Ak Langar is a Rest-house. The specimens were obtained in the night, so that, although Captain Deasy states that the animal was very common, he is unable to give any details as to its habits.

Ochotona Ladacensis, Günther, Ann. & Mag. Nat. Hist. ser. 4, xvi. p. 231 (1875)-

No. 99.11.5.9. 3. Yepal Ungur, Chinese Turkestan, 15,000 ft., 22nd July, 1898.

No. 99.11.5.10 & 11, two females. Ditto, ditto, 20th July, 1898.

No. 99.8,10.1. Zad Kulan Urgi, Chinese Turkestan, altitude 12,800 ft., 25th December, 1897.

No. 97.1.21.1. 25 miles S.E. of Lake Aru Cho, W. Tibet.

No. 97.1.21.2. Ditto, ditto.